j

Appl. No. 10/087,153 Amdt. dated November 21, 2005 Amendment under 37 CFR 1.116 Expedited Procedure Examining Group 3732

Amendments to the Claims:

Please amend claims 1 and 21-24 as set forth in the below listing of the claims. This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A computer-implemented method for separating a tooth from adjacent structure, comprising:

identifying a line between the tooth and the adjacent structure;

defining a <u>closed</u> cutting surface that passes through the line between the tooth and the adjacent structure and that creates an approximate shape of a root of the tooth; and

applying the cutting surface between the tooth and the structure to separate the tooth from the structure in a single cut;

wherein applying the cutting surface includes reconstructing a root of the tooth.

- 2. (Original) The method of claim 1, wherein the cutting surface is curved.
- 3. (Original) The method of claim 1, wherein the cutting surface is expressed as a function.
- 4. (Original) The method of claim 1, wherein the cutting surface is expressed as a spline function and a quadratic function.
- 5. (Original) The method of claim 1, wherein the cutting surface is expressed as a spline function and a parabolic function.
- 6. (Original) The method of claim 1, wherein the cutting surface is interactively adjusted.

- 7. (Original) The method of claim 4, wherein the interactive adjustment of the cutting surface modifies a function defining the cutting surface.
- 8. (Original) The method of claim 4, further comprising interactively highlighting the separated portion.
- 9. (Original) The method of claim 8, further comprising interactively highlighting the border of the separated portion.
- 10. (Original) The method of claim 1, wherein the cutting surface is defined by specifying a basis for the tooth.
- 11. (Original) The method of claim 1, wherein the structure is a gingiva, further comprising finding a line between a tooth surface and the gingiva and applying the cutting surface to said line.
- 12. (Original) The method of claim 11, further comprising finding a high curvature location on the tooth surface.
- 13. (Original) The method of claim 11, further comprising fitting a spline to the line.
- 14. (Original) The method of claim 1, wherein the cutting surface further comprises a plurality of surfaces.
- 15. (Original) The method of claim 14, wherein the root of the tooth is modeled as a parabolic surface below a gingival line.
- 16. (Original) The method of claim 14, further comprising defining an enclosing surface to enclose the crown of the tooth.
 - 17. (Original) The method of claim 14, further comprising:

displaying the surface specified with a plurality of nodes; adjusting one or more nodes to modify the surface; and applying the surface to separate the gingiva from the tooth.

- 18. (Original) The method of claim 17, further comprising providing a handle to adjust each orientation of the cutting shape.
- 19. (Original) The method of claim 17, wherein adjusting one or more nodes further comprises moving one or more nodes.
- 20. (Original) The method of claim 17, wherein the cutting surface is formed using a function in a cylindrical coordinate system.
- 21. (Currently Amended) A system for separating a tooth from adjacent structure, comprising:

means for identifying a line between the tooth and the adjacent structure;
means for defining a closed cutting surface that passes through the line between
the tooth and the adjacent structure and that creates an approximate shape of a root of the tooth;
and

means for applying the cutting surface between the tooth and the structure to separate the tooth from the structure in a single cut; and

means for reconstructing a root of the tooth.

22. (Currently Amended) A computer program, residing on a tangible storage medium, for use in separating a computer model of a tooth from a computer model of a dental structure, the program comprising executable instructions operable to cause a computer to:

identify a line between the tooth and the structure;

define a <u>closed</u> cutting surface <u>that passes through the line between the tooth and</u> the structure and that creates an approximate shape of a root of the tooth; and

apply the cutting surface between the tooth and the structure to separate the tooth from the structure in a single cut,

wherein applying the cutting surface includes reconstructing a root of the tooth.

23. (Currently Amended) A computer program, residing on a tangible storage medium, for use in separating a computer model of a tooth from a computer model of a dental structure, the program comprising executable instructions operable to cause a computer to:

identify a line between the tooth and the structure;

define a <u>closed</u> cutting surface <u>that passes through the line between the tooth and</u> the structure and that creates an approximate shape of a root of the tooth, wherein the cutting surface is expressed as a spline function and a quadratic function; and

apply the cutting surface between the computer model of the tooth and the computer model of the dental structure to separate the computer model in a single cut,

wherein applying the cutting surface includes reconstructing a root of the tooth.

24. (Currently Amended) A computer, comprising: a processor;

a data storage device coupled to the processor, the data storage device containing code for use in separating a computer model of a tooth from a computer model of an adjacent dental structure, the program comprising executable instructions operable to cause a computer to:

identify a line between the tooth and the structure;

define a <u>closed</u> cutting surface <u>that passes through the line between the</u> <u>tooth and the structure</u>, wherein the cutting surface is expressed as a spline function and a quadratic function and wherein the cutting surface further comprises a plurality of surfaces and wherein the root of the tooth is modeled as a parabolic surface below a gingival line; and

apply the cutting surface to the tooth to separate the tooth from the dental structure in a single cut-

wherein applying the cutting surface includes reconstructing a root of the tooth.

PATENT

25. (Original) The system of claim 24, further comprising instructions to define an enclosing surface to enclose the crown of the tooth.